




Fabricated Steel Products




3 EUCKER STREET
RIDGEFIELD PARK, NEW JERSEY 07660
www.edconline.com

Call toll free


877-SHORING

Pouring & Forming Products


Plumbers' Box
Deck Form Voids




Z-Shelf Bracket
Structural fabrication




Steel Pans and Saddles
Concrete Joist Construction




Steel Round Void Form
Deck Form Voids




Curb Yoke
Round or square stock.




Steel Round Column Extension



Concrete Chute




Column Pipe Braces
Typical lengths:
10', 12', 14'



BUILDING PRODUCTS


Jobsite Products

Coke Heater, Grate and Pan
Winter Freeze Protection



(Grate)


Material Dolly
Heavy duty capacity.
Rigid or swivel castors.
(Custom fabrications available.)




Stripping Bar




Steel Stacking Crib



Debris Bucket
Cable slings available.



Security Gang Box
2' x 3' x 4', 3' x 3' x 4',
and sizes as requested.




Fabricated Steel Products




Rebar Horses & Supplies

Lathers Landing Horses



Lathers Beam Horses



Lathers Column Horses



Spreader Angles for Spirals



Call toll free **877-SHORING**




EDC safety posts are perfect for quick and safe guard rail construction. Ideal for use on perimeters, stairwells, elevator shafts and other openings. Easy to install, use and break down.

3 Eucker St., Ridgefield Park, NJ 07660
201.641.2880 fax.201.641.0847



EDC Guard Rail Posts provide efficient safety and are conformed for a number of applications.

Nailing plate is designed to accommodate wood bracing to the deck lumber.



Base box designed to slide over deck lumber; is then secured by nailing through nailer holes. Sizes for 3"x4", 4"x4", and 4"x6" lumber.


Erection, use, maintenance, and disassembly must conform to current Federal, State and Local regulations. Copies of Safety Guidelines for these and other products are available from EDC, without charge.



SAFWAY Adjustable Guard Rail Posts adjust automatically to slabs from 3" to 26" thick. They are designed to accommodate two (2) overlapping 2x4s and have a special bracket at slab level to facilitate installation of toeboards. The adjusting nut at top of post allows for quick adjustments (no leaning or bending) with a hand or power wrench.

42" high top rail
24" middle rail

Weight: 20 lbs.



All drawings are for illustrative purposes only. This flyer is intended for general information only. Because of the many variables which affect the performance of this product line, some information in this flyer may not apply. For specific applications, see your Safway dealer.

To order or for more information, call toll free

1-877-SHORING
www.edconline.com